



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/989,334	11/20/2001	Yoram Gill	P-9568-US	9942
49443 7590 04/23/2008 Pearl Cohen Zedek Latzer, LLP 1500 Broadway 12th Floor New York, NY 10036				
EXAMINER				
HYLTON, ROBIN ANNETTE				
ART UNIT		PAPER NUMBER		
3781				
MAIL DATE		DELIVERY MODE		
04/23/2008		PAPER		

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

## Office Action Summary

**Application No.**

09/989,334

**Applicant(s)**

GILL, YORAM

**Examiner**

ROBIN HYLTON

**Art Unit**

3781

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 11 February 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-4, 8-16, 18-20 and 22-29 is/are pending in the application.
- 4a) Of the above claim(s) 1-4, 8-12, 20 and 24-29 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 13-16, 18, 19, 22 and 23 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/3508)
- 4) ☐ Interview Summary (PTO-413)
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: \_\_\_\_\_
- Paper No(s)/Mail Date \_\_\_\_\_

***Drawings***

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the cross section of the rod is substantially elliptic must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

***Double Patenting***

2. Applicant is advised that should claims 15 and 16 be found allowable, claims 22 and 23 will be objected to under 37 CFR 1.75 as being a substantial duplicate thereof. When two claims in an application are duplicates or else are so close in content that they both cover the same thing, despite a slight difference in wording, it is proper after allowing one claim to object to the other as being a substantial duplicate of the allowed claim. See MPEP § 706.03(k).

***Claim Rejections - 35 USC § 103***

3. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
4. Claims 13-16,18,19,22 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dikeman (US 5,931,456) in view of Senanayake (WO 92/16424).

Dikeman discloses a sealable flexible liquid container system comprising a flexible liquid container **20** having a cavity for receiving liquids, said cavity formed of two films **26,28** having the majority of their perimeter fused, and allowing a portion of the perimeter fused so as to present a lateral opening for filling the container with liquids, and a liquid dispensing outlet; a rod **70** having a first end (unnumbered) and a second end (**82**) attached to the container laterally across the lateral opening of the flexible container so that a portion of the container adjacent the lateral opening can be folded over the rod and substantially overlap an adjacent portion of the container; and a sealer **68** comprising an elongated rigid member having two opposite sides along which a hollow passage is extended with a longitudinal slot **76** wherein said slot is adapted to accommodate said two films, wherein the sealer is provided with an opening on at least one of the opposite sides, and wherein said sealer is slidably mountable over said rod (in a horizontal direction), wherein the space defined within the passage is not smaller than the total space occupied by the portion of the container provided with the lateral opening folded over the rod and the rod itself when inserted in the passage, and wherein the slot is not narrower than the total thickness of the folded portion of the container and the adjacent portion when inserted through the slot, wherein the distance between the outer diameter of said rod and the inner diameter of said elongated rigid member when the rod is inserted inside the elongated rigid member allows an accumulative thickness of said two films, said two films to be freely threaded between said rod and said elongated rigid member and so

Art Unit: 3781

that said two films are held tightly together, whereby when the portion of the container adjacent the lateral opening is folded over the rod, substantially overlapping an adjacent portion of the container and the sealer is slidably mounted over the folded portion of the container and the rod, liquid in said container is prevented from passing through the lateral opening.

Dikeman does not disclose the closing rod **70** is fixedly attached to the flexible container by welding.

Senanayake teaches it is known to provide a flexible container with a rod of heat-sealable material fixedly, pre-attached to the flexible container prior to filling.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to apply the teaching of attaching the rod to the flexible container using welding or other heat sealing method. Doing so provides a permanent location for the closing rod to ensure it does not become permanently separated from the tethered sealer and container, resulting in an inability to seal the container from leakage.

It is noted that no specific direction of sliding is set forth in the instant claims.

### ***Response to Arguments***

5. Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

6. In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., the sealer slides in a direction parallel to the longitudinal axis of the rod) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

***Conclusion***

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

8. Applicant is duly reminded that a complete response must satisfy the requirements of 37 C.F.R. 1.111, including: "The reply must present arguments pointing out the specific distinctions believed to render the claims, including any newly presented claims, patentable over any applied references. A general allegation that the claims "define a patentable invention" without specifically pointing out how the language of the claims patentably distinguishes them from the references does not comply with the requirements of this section. Moreover, "The prompt development of a clear Issue requires that the replies of the applicant meet the objections to and rejections of the claims." Applicant should also specifically point out the support for any amendments made to the disclosure. See MPEP 2163.06 II(A), MPEP 2163.06 and MPEP 714.02. The "disclosure" includes the claims, the specification and the drawings.

9. In order to reduce pendency and avoid potential delays, Group 3720/80 is encouraging FAXing of responses to Office Actions directly into the Group at (571) 273-8300. This practice may be used for filing papers not requiring a fee. It may also be used for filing papers which

Art Unit: 3781

require a fee by applicants who authorize charges to a PTO deposit account. Please identify the examiner and art unit at the top of your cover sheet. Papers submitted via FAX into Group 3720 will be promptly forwarded to the examiner.

10. It is called to applicant's attention that if a communication is faxed before the reply time has expired, applicant may submit the reply with a "Certificate of Facsimile" which merely asserts that the reply is being faxed on a given date. So faxed, before the period for reply has expired, the reply may be considered timely. A suggested format for a certificate follows:

I hereby certify that this correspondence for Application Serial No. \_\_\_\_\_ is being facsimiled to The U.S. Patent and Trademark Office via fax number 571-273-8300 on the date shown below:

Typed or printed name of person signing this certificate  
\_\_\_\_\_

Signature \_\_\_\_\_

Date \_\_\_\_\_

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robin Hylton whose telephone number is (571) 272-4540. The examiner can normally be reached Monday - Friday from 9:00 a.m. to 4:00 p.m. (Eastern time).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anthony Stashick, can be reached on (571) 272-4561.

Any inquiry of a general nature or relating to the status of this application or proceeding may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Other helpful telephone numbers are listed for applicant's benefit:

- Allowed Files & Publication (888) 786-0101
- Assignment Branch (800) 972-6382
- Certificates of Correction (703) 305-8309
- Fee Questions (571) 272-6400
- Inventor Assistance Center (800) PTO-9199
- Petitions/special Programs (571) 272-3282
- Information Help line 1-800-786-9199
- Internet PTO-Home Page <http://www.uspto.gov>

/Robin A. Hylton/  
Robin A. Hylton  
Primary Examiner  
GAU 3781